

Technische Fiche: BK060003--

Marshalling distributor IP30 H=600 W=600 D=120mm sheet metal

each gland plate with cable entries: 14x13mm, 8x17mm and 2x30mm



SCHRACK-Info

- Marshalling Distributors in three different sizes
- Large space for connecting cables and wires
- Push-through entry possible from four sides (top, bottom, left and right)
- Cover front opening with four twist locks
- Each distributor with two earthing possibilities
- Material:
 - BK060001: 1 mm galvanised sheet steel
 - BK060002: 1.5mm galvanised sheet steel
 - BK060003: 1.5mm galvanised sheet steel
- Wall-mounting:
 - 4x Holes with Ø8.5mm each in the rear panel
 - Mounting material is not included
- Gland plates:
 - Standard size: W=195 D=63mm
 - Quantity:
 - BK060001: 4 pieces,
 - BK060002: 6 pieces,
 - BK060003: 8 pieces


- Cable entries:
 - 14x13mm,
 - 8x17mm,
 - 2x30mm
- Protection class: I
- Degree of protection: IP30
- Impact resistance: IK07



Technische gegevens

Breedte (mm)	600,00
Hoogte (mm)	600,00
Diepte (mm)	120,00
Nettogewicht (kg)	10,07
EAN CODE	9004840852592
Stroomwarmteverliezen (W)	-141,00
Omgevingstemperatuur min. (°C)	-5
Omgevingstemperatuur max. (°C)	40

Technical Details - Marshalling Distributors



[mm]

Gegevens tabel: Marshalling distributor IP30 H=600 W=600 D=120mm sheet metal

Referentie	H (mm)	B (mm)	D (mm)	Vermogensafgifte max. [W]*
BK060001	300	300	120	-46
BK060002	600	300	120	-83
BK060003	600	600	120	-141

* Maximale vermogensafgifte van de behuizing, berekend als een enkele behuizing met wandmontage en een $\Delta T = 35K$.

Detailinformatie en wettelijke bepalingen zie catalogus

Artikelen

Omschrijving	Referentie
Marshalling distributor IP30 H=600 W=600 D=120mm sheet metal each gland plate with cable entries: 14x13mm, 8x17mm and 2x30mm	BK060003
Optionele toebehoren	
Draadmoeren M4 rechthoekig verzinkt staal (100stk.) LxBxD 18,5x10x4mm	IG714314
Glijmoeren M5 (verpakking 100stk.)	IL900230-F
Draadmoeren M5 rechthoekig verzinkt staal (100stk.) LxBxD 18,5x10x4mm	IG714315