


Technische Fiche: IP3057678-

## Feed-through terminal block TB 4 I BU

Connection: screw-connection, 0.5 mm<sup>2</sup> - 6 mm<sup>2</sup>, AWG: 20 - 10, color: blue, installation on: NS 35/7.5, NS 35/15, NS 32



### Technische gegevens

|                                                                                     |               |
|-------------------------------------------------------------------------------------|---------------|
| Diepte (mm)                                                                         | 47,00         |
| Breedte (mm)                                                                        | 6,20          |
| Hoogte (mm)                                                                         | 42,50         |
| Nettogewicht (kg)                                                                   | 0,01          |
| EAN CODE                                                                            | 4046356648233 |
| Stroomwarmteverliezen (W)                                                           | 1,02          |
| Omgevingstemperatuur min. (°C)                                                      | -40           |
| Omgevingstemperatuur max. (°C)                                                      | 120           |
| Omschrijving                                                                        | Klemmen       |
| Systeem                                                                             | Schroefklem   |
| Productgamma                                                                        | TB            |
| Productgroep                                                                        | Klemmen       |
| Maximale aansluitcapaciteit vaste geleiders (mm <sup>2</sup> )                      | 6             |
| Maximale aansluitcapaciteit soepele geleiders (mm <sup>2</sup> )                    | 4             |
| Maximale aansluitcapaciteit soepele geleiders met adereindhulzen (mm <sup>2</sup> ) | 4             |
| Minimale aansluitcapaciteit vaste geleiders (mm <sup>2</sup> )                      | 0,5           |
| Minimale aansluitcapaciteit soepele geleiders (mm <sup>2</sup> )                    | 0,5           |

## Technische gegevens - vervolg

|                                                                                     |       |
|-------------------------------------------------------------------------------------|-------|
| Minimale aansluitcapaciteit soepele geleiders met adereindhulzen (mm <sup>2</sup> ) | 0,5   |
| Aansluitcapaciteit (mm <sup>2</sup> )                                               | 4     |
| Afwerking                                                                           | Blauw |
| Nominale stroom (A)                                                                 | 32    |

## Artikelen

| Omschrijving                                                                                                                                                                            | Referentie |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| Feed-through terminal block TB 4 I BU<br>Connection: screw-connection, 0.5 mm <sup>2</sup> - 6 mm <sup>2</sup> , AWG: 20 - 10, color: blue, installation on: NS 35/7.5, NS 35/15, NS 32 | IP3057678  |
| <b>Optionele toebehoren</b>                                                                                                                                                             |            |
| End bracket CLIPFIX 15, to be snapped onto NS 15 DIN rail<br>Snap-on end bracket, color: gray                                                                                           | IP3022263  |
| End bracket CLIPFIX 35-5, for NS 35/7,5 or NS 35/15<br>Quick mounting end clamp, with marking option, width: 5.15 mm, color: gray                                                       | IP3022276  |
| End bracket CLIPFIX 35, for NS 35/7,5 DIN rail or NS 35/15<br>Quick mounting end clamp, with marking option, width: 9.5 mm, color: gray                                                 | IP3022218  |
| End bracket E/UK<br>End clamp, Width: 9.5 mm, Height: 35.3 mm, Length: 50.5 mm, Color: gray                                                                                             | IP1201442  |
| End bracket E/UK 1<br>End clamps, for supporting the ends of double-level and three-level terminal blocks, width: 10 mm, color: gray                                                    | IP1201413  |
| End bracket E/MBK<br>End clamp, width: 6.2 mm, color: gray                                                                                                                              | IP1401637  |
| End bracket E/MK 1<br>End clamp width: 6 mm, color: gray                                                                                                                                | IP1421659  |
| End bracket E/NS 35 N<br>End clamp, width: 9.5 mm, color: gray                                                                                                                          | IP0800886  |
| Marking tags for TB and ST - terminals, 1-30 (each 2x)<br>Marking tags for Phoenix Contact - terminals, series TB and ST                                                                | IP196001   |
| Marking tags for TB and ST - terminals, 31-60 (each 2x)<br>Marking tags for Phoenix Contact - terminals, series TB and ST                                                               | IP196031   |
| Marking tags for TB and ST - terminals, 61-90 (each 2x)<br>Marking tags for Phoenix Contact - terminals, series TB and ST                                                               | IP196061   |

## Artikelen

| Omschrijving                                                                                           | Referentie |
|--------------------------------------------------------------------------------------------------------|------------|
| <b>Optionele toebehoren</b>                                                                            |            |
| Marking tags for TB and ST - terminals, 91-120 (each 2x)                                               | IP196091   |
| Marking tags for Phoenix Contact - terminals, series TB and ST                                         |            |
| Marking tags for TB and ST - terminals, 121-150 (each 2x)                                              | IP196121   |
| Marking tags for Phoenix Contact - terminals, series TB and ST                                         |            |
| Marking tags for TB and ST - terminals, 151-180 (each 2x)                                              | IP196151   |
| Marking tags for Phoenix Contact - terminals, series TB and ST                                         |            |
| Marking tags for TB and ST - terminals, 181-210 (each 2x)                                              | IP196181   |
| Marking tags for Phoenix Contact - terminals, series TB and ST                                         |            |
| Marking tags for TB and ST - terminals, 211-240 (each 2x)                                              | IP196211   |
| Marking tags for Phoenix Contact - terminals, series TB and ST                                         |            |
| Marking tags for TB and ST - terminals, 241-270 (each 2x)                                              | IP196241   |
| Marking tags for Phoenix Contact - terminals, series TB and ST                                         |            |
| Marking tags for TB and ST - terminals, 271-300 (each 2x)                                              | IP196271   |
| Marking tags for Phoenix Contact - terminals, series TB and ST                                         |            |
| Marking tags for TB and ST - terminals, 301-330 (each 2x)                                              | IP196301   |
| Marking tags for Phoenix Contact - terminals, series TB and ST                                         |            |
| Marking tags for TB and ST - terminals, 331-360 (each 2x)                                              | IP196331   |
| Marking tags for Phoenix Contact - terminals, series TB and ST                                         |            |
| Marking tags for TB and ST - terminals, 361-390 (each 2x)                                              | IP196361   |
| Marking tags for Phoenix Contact - terminals, series TB and ST                                         |            |
| Marking tags for TB and ST - terminals, 391-420 (each 2x)                                              | IP196391   |
| Marking tags for Phoenix Contact - terminals, series TB and ST                                         |            |
| Marking tags for TB and ST - terminals, 421-450 (each 2x)                                              | IP196421   |
| Marking tags for Phoenix Contact - terminals, series TB and ST                                         |            |
| Marking tags for TB and ST - terminals, 451-480 (each 2x)                                              | IP196451   |
| Marking tags for Phoenix Contact - terminals, series TB and ST                                         |            |
| Marking tags for TB and ST - terminals, 481-510 (each 2x)                                              | IP196481   |
| Marking tags for Phoenix Contact - terminals, series TB and ST                                         |            |
| Zack marker strip ZB 6, consecutive numbers 1-10                                                       | IP10510161 |
| Strip, white, snap into tall marker groove, for terminal width: 6.2 mm, lettering field: 6.2 x 10.5 mm |            |
| Zack marker strip ZB 6, consecutive numbers 11-20                                                      | IP10510162 |
| Strip, white, snap into tall marker groove, for terminal width: 6.2 mm, lettering field: 6.2 x 10.5 mm |            |
| Zack marker strip ZB 6, consecutive numbers 21-30                                                      | IP10510163 |
| Strip, white, snap into tall marker groove, for terminal width: 6.2 mm, lettering field: 6.2 x 10.5 mm |            |
| Zack marker strip ZB 6, consecutive numbers 31-40                                                      | IP10510164 |
| Strip, white, snap into tall marker groove, for terminal width: 6.2 mm, lettering field: 6.2 x 10.5 mm |            |
| Zack marker strip ZB 6, consecutive numbers 41-50                                                      | IP10510165 |
| Strip, white, snap into tall marker groove, for terminal width: 6.2 mm, lettering field: 6.2 x 10.5 mm |            |

## Artikelen

| Omschrijving                                                                                                                                                        | Referentie |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| <b>Optionele toebehoren</b>                                                                                                                                         |            |
| Zack marker strip ZB 6, consecutive numbers 51-60<br>Strip, white, snap into tall marker groove, for terminal width: 6.2 mm, lettering field: 6.2 x 10.5 mm         | IP10510166 |
| Zack marker strip ZB 6, consecutive numbers 61-70<br>Strip, white, snap into tall marker groove, for terminal width: 6.2 mm, lettering field: 6.2 x 10.5 mm         | IP10510167 |
| Zack marker strip ZB 6, consecutive numbers 71-80<br>Strip, white, snap into tall marker groove, for terminal width: 6.2 mm, lettering field: 6.2 x 10.5 mm         | IP10510168 |
| Zack marker strip ZB 6, consecutive numbers 81-90<br>Strip, white, snap into tall marker groove, for terminal width: 6.2 mm, lettering field: 6.2 x 10.5 mm         | IP10510169 |
| Zack marker strip ZB 6, consecutive numbers 91-100<br>Strip, white, snap into tall marker groove, for terminal width: 6.2 mm, lettering field: 6.2 x 10.5 mm        | IP1051016H |
| Zack marker strip flat ZBF 6, blank<br>Strip, white, snap into flat marker groove, for terminal width: 6.2 mm, lettering field: 5.15 x 6.15 mm                      | IP0808710  |
| Zack marker strip flat ZBF 6, consecutive numbers 1-10<br>Strip, white, snap into flat marker groove, for terminal width: 6.2 mm, lettering field: 5.15 x 6.15 mm   | IP08087491 |
| Zack marker strip flat ZBF 6, consecutive numbers 11-20<br>Strip, white, snap into flat marker groove, for terminal width: 6.2 mm, lettering field: 5.15 x 6.15 mm  | IP08087492 |
| Zack marker strip flat ZBF 6, consecutive numbers 21-30<br>Strip, white, snap into flat marker groove, for terminal width: 6.2 mm, lettering field: 5.15 x 6.15 mm  | IP08087493 |
| Zack marker strip flat ZBF 6, consecutive numbers 31-40<br>Strip, white, snap into flat marker groove, for terminal width: 6.2 mm, lettering field: 5.15 x 6.15 mm  | IP08087494 |
| Zack marker strip flat ZBF 6, consecutive numbers 41-50<br>Strip, white, snap into flat marker groove, for terminal width: 6.2 mm, lettering field: 5.15 x 6.15 mm  | IP08087495 |
| Zack marker strip flat ZBF 6, consecutive numbers 51-60<br>Strip, white, snap into flat marker groove, for terminal width: 6.2 mm, lettering field: 5.15 x 6.15 mm  | IP08087496 |
| Zack marker strip flat ZBF 6, consecutive numbers 61-70<br>Strip, white, snap into flat marker groove, for terminal width: 6.2 mm, lettering field: 5.15 x 6.15 mm  | IP08087497 |
| Zack marker strip flat ZBF 6, consecutive numbers 71-80<br>Strip, white, snap into flat marker groove, for terminal width: 6.2 mm, lettering field: 5.15 x 6.15 mm  | IP08087498 |
| Zack marker strip flat ZBF 6, consecutive numbers 81-90<br>Strip, white, snap into flat marker groove, for terminal width: 6.2 mm, lettering field: 5.15 x 6.15 mm  | IP08087499 |
| Zack marker strip flat ZBF 6, consecutive numbers 91-100<br>Strip, white, snap into flat marker groove, for terminal width: 6.2 mm, lettering field: 5.15 x 6.15 mm | IP0808749H |
| End cover D-TB 4/10<br>End cover, length: 42.5 mm, wide: 1.8 mm, high: 35.9 mm, color: dark grey                                                                    | IP3059809  |
| Fixed bridge SCBI 10-6<br>Fixed bridge, poles: 10, color: silver-colored                                                                                            | IP3246120  |
| Insertion bridge INB 10-6<br>Insert bridge, poles: 10, color: grey                                                                                                  | IP3246188  |

## Artikelen

| Omschrijving                                                                   | Referentie |
|--------------------------------------------------------------------------------|------------|
| <b>Optionele toebehoren</b>                                                    |            |
| Insulation plate TS-TB                                                         | IP3062838  |
| Insulation plate, length: 22 mm, height: 22 mm, color: dark grey               |            |
| Partition plate, ATP-TB                                                        | IP3046272  |
| Partition plate, length: 56 mm, width: 3 mm, height: 45.7 mm, color: dark grey |            |
| Test socket TPS 3/10/4                                                         | IP3246230  |
| Test socket, color: silver-colored                                             |            |
|                                                                                | IP1212602  |