


Technische Fiche: LI29001080

Led Panel 42W, 3600lm, 830, M600, 1050mA, excl. Driver



Lichtverdelingscurve




Technische gegevens

Bevestiging	Plafondinbouw
Kleur	Wit
Materiaal	Kunststof Metaal
Afdekkingen	Microprismatisch
Leveranciers	Schrack
Stralingshoek (°)	90
Verblindingsfactor (UGR)	<19
Nominale werkspanning DC (V)	30-42
Bedrijfsstroom mA (mA)	1050
Lichtbron/ Lamp	SMD LED
Lamphouder	LED printplaat

Technische gegevens - vervolg

Vermogen (W) (W)	42
Systeem efficiëntie (lm/w)	86
Lichtkleur	Warmwit
Kleurtemperatuur (K)	3000
Kleurweergave-index (Ra)	≥85
Lichtstroom (lm)	3600
Levensduur (h)	50000
Dimbaar	Nee
Beschermingsgraad	IP20
LxBxH mm	597x597x9

Maattekening: Led Panel 42W, 3600lm, 830, M600, 1050mA, excl. Driver



Artikelen

Omschrijving	Referentie
Led Panel 42W, 3600lm, 830, M600, 1050mA, excl. Driver	LI29001080
Optionele toebehoren	
Led Driver 47W, 100-240V CC 1050mA 30-42V DC	LI19001000
Led Driver 46W, 220-240V CC 1050mA 21-48V DC Dali	LI29001075
LED Driver 47W 220-240V CC 1050mA 4-48VDC 1-10V	LI29001076
Led Panel Surface Mounting Kit for M600 Serie Ledon	LI29001062
Led Panel Wall Bracket for Surface Mounting Kit Serie Ledon	LI29001097
Led Panel Flush Mounting Kit for M600 Serie Ledon	LI29001063
Led Panel Suspension Kit 4x1M, Serie Ledon	LI29001064
Led Panel Suspension Kit 4x2M, Serie Ledon	LI29001096
Led Backlight 120 800lm, 110°, 840, 1050mA	LI29001142
Aftakdoos 3 weg IP20 veerklemmen	LID15379