

Technische Fiche: LID13729--

Marra LED Strip 14,4W/m 2700K 980lm/m dimbaar IP68

LED Flexstrip, dimbaar, 5 meter rol



Productinformatie

Waterproof flexible LED light strip, with SMD2835 LEDs, 70LEDs/meter, 14,4W/meter. Supplied in 5 meters roll with white PCB and double adhesive tape for a better fixing, IP68. Can be cut every 10cm (7-LED segment). Requires 24V DC constant voltage LED driver. Complies with standard EN60598-1 and any other specific standards.

Technische gegevens

Lichtkleur	Warmwit
Kleurtemperatuur (K)	2700
Kleurweergave-index (Ra)	≥90
Regelen lichtintensiteit	Afhankelijk van driver Ja
Beschermingsklasse	III
Beschermingsgraad	IP68
EEK	G
Energie-efficiëntieklasse	G
Type verlichting	LED Strip
Lichtmiddel inbegrepen	Inbegrepen
Lampvoet	LED

Technische gegevens - vervolg

Lichtrendement (lm/W)	72
Voedingen	Moet apart besteld worden
Nominale werkspanning DC (V)	24
Ingangsspanning DC (V)	24
Bevestiging	Bodemopbouw Wandbevestiging Plafondmontage
Uitvoering	Silicone
Lengte (mm)	5000
Breedte (mm)	10
Optionele toebehoren	LID16631--
Lichtstroom per meter (lm/m)	1050

Artikelen

Omschrijving	Referentie
Marra LED Strip 14,4W/m 2700K 980lm/m dimbaar IP68 LED Flexstrip, dimbaar, 5 meter rol	LID13729
Optionele toebehoren	
Mounting Bracket voor LID16609 08 STRIPS & PROFILES	LID16631